

UWEKAJI NA UTUPAJI:

- (1) Weka katika sehemu kavu ikiwa imefungiwa vizuri katika chombo chake asili na iwe mbali na watoto, wanyama chakula cha binadamu na cha mifugo, mbegu na mbolea
- (2) Usiweke katika mazingira uishipo nyumbani. Weka mbali na vyanzio vya vuguvugu za moto au miale yake.
- (3) Usikifungue chombo cha dawa mpaka ukiwa tayari kuitumia
- (4) Usimwage dawa katika mito au madimbwi.
- (5) Mashine ya kunyunyizia isafishe na uchafu wake kuumwaga udongoni. Mara ikiingia udongoni ikakabiliae na viumbe vya humo pamoja na jua haraka dawa hupoteza makali yake chini kwa siku moja
- (6) Ondoa kabisa dawa iliyomo katika chombo na kukiosha ukikisuuza vizuri mara tatu, kitoboe vishimo kisha kukufukia mbali na njia pia vyanzo vya maji. Chombo kilichobaki kitupu USIKITUMIE kwa matumizi mengine yoyote
- (7) Kama dawa itamwagika mahali, pafunike kwa vitu vya kukaushia kama soda Ash (majivu magadi), udongo, chokaa au unga wa mbao. Fagia na kufukia uchafuwake. Tupa taka kulingana na sheria za utupaji taka.

ILANI KWA MTUMIAJI

Dawa hii ni sharti itumiwe kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa kutumia au kuhifadhi dawa hii katika hali isiyu salama.

THIBITISHO

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima aikubali dawa hii katika hali hiyo.



TWIGATRAZ[®] 12.5EC

AMITRAZ 12.5%W/V



An acaricide
for the control of ticks on cattle



**Dawa Maalum ya
kuangamiza Kupe**



DISTRIBUTOR (MSAMBAZAJI) IN KENYA:-

Twiga Chemical Industries Ltd.

P.O. Box 30172, 00100, GPO NAIROBI, KENYA

Tel: 020-3942300 / Fax: 3942405

DESCRIPTION

TWIGATRAZ is an acaricide for veterinary use as stock spray for the control of ticks on cattle. It should not be mixed with any other spray.

TIMING: it is important to regularly wash or spray your animals at the specified times for the approved species. This product should not be used in such a manner as to directly or through drift expose workers or other persons to the spray mist.

DIRECTION FOR USE

Use one part of Twigatraz to 500 parts of water for both hand and motorized spraying. Measure the total amount of water required, remove a small amount from this volume and use it to premix TWIGATRAZ. Add the premix to the measured volume and mix thoroughly. Surplus acaricide should not be used the next day. Fresh wash should be prepared daily, for both hand and mechanical spraying.

RATES OF USE

PESTS	ANIMAL	RATE IN 20L	REMARKS
Ticks	Cattle	40mls	HAND SPRAYING: If the animals are to be hand sprayed use 10 litres of the diluted material per animal, wetting the whole body thoroughly.

FREQUENCY AND APPLICATION

TICK - 1 Part in 500 parts of water (1:500) - APPLY EVERY 7 DAYS i.e. 2ml of TWIGATRAZ to 1 litre of water.

WITHHOLDING PERIOD: Slaughter interval for meat from cattle: 4 days. Withholding period for milk following application to dairy cows: 6hrs.

USE LIMITATIONS

DO NOT use on horses, mules or donkeys,; it may cause fatal colonic impactation. May irritate the skin of some dogs.

STORAGE AND DISPOSAL

1. Store in a cool dry place in original tightly closed container away from children, animals, food, foodstuffs, seeds and fertilizers.
2. DO NOT store around the home environment. Keep away from sources of heat and open flame.
3. Do not open container until ready to use. DO NOT allow water to enter and keep container tightly closed when not in use.
4. DO NOT drain or flush spraying mixture into waterways, streams or ponds.
5. Wash out spray equipment after use and drain into the soil. The product is rapidly degraded in the soil under aerobic conditions and sunlight in less than 1day.
6. Empty container complete and triple rinse it, puncture holes in it and bury It well away from water supplies. DO NOT re-use empty containers for any other purpose.
7. In case of spillage, cover with absorbent materials such as soda ash. Oil, Lime or sawdust Swoop up and dispose of absorbent by burial. Dispose in accordance with nation regulation and legislation.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

MAELEZO

TWIGATRAZ ni dawa ya mifugo itumikayo kwa kunyunyizia ili kukabiliana na kupe wa ng'ombe. TWIGATRAZ isichanganywe na dawa nyingine yoyote.

MUDA: Ni muhimu kupanga muda maalum wa kuosha ama kunyunyizia mifugo iliyochaguliwa. Dawa hii isitumike kwa namna ambapo itahatarisha usalama wa wafanyakazi na watu wengineo pale ikinyunyiziwa na mvuke wake au ikiwarukia moja kwa moja.

MAELEZO YA KUTUMIA:

Changanya lita moja ya TWIGATRAZ katika lita 500 za maji tayari kuitumia kwa kunyunyizia na bomba la mkono au kwa mashine. Pima kiasi kamili cha maji yanayotakiwa. Ondoa kiasi kidogo na kichanganye na TWIGATRAZ. Ongeza mchanganyiko uliopatikana katika maji yaliyopimwa na kutengwa kisha changanya pamoja sawasawa. Uchanganyaaji ufanyike siku moja.

KIWANGO CHA MATUMIZI

WADUDU	WANYAMA	KIASI KWA	REMARKS
Kupe	Ngombe	Mililita 40	UNYUNYIZAJI KWA BOMBA LA MKONO: TUMIA LITA 10 za muosho kwa kila mnyama ukihakikisha dawa inaenea vizuri mwili mzima.

KUPE: Sehemu 1 ya TWIGATRAZ kwa sehemu 500 (1:500) za maji. TUMIA KILA BAADA YA SIKU SABA. Yaani 2 ml (mililita ya TWIGATRAZ) kwa lita moja ya maji.

VIPINDI VYA KUNGOJEA: Subiri siku 4 kabla ya kuchinja n'gombe kwa nyama. Kipindi cha kungojea kabla ng'ombe hajakamuliwa ni masaa 6 baada ya kunyunyiza.

MIPAKA YA MATUMIZI

Usiitumie kwenye farasi, nyumbu au punda yaweza kusababisha madhara mabaya sana. Yaweza sababisha muwasho wa ngozi kwenye baadhi ya mbwa.

