



We create chemistry

READ THE LABEL BEFORE USING
(SOMA KIBANDIKO CHA MAELEZO
KABLA YA KUTUMIA)

KEEP LOCKED OUT OF REACH OF
CHILDREN
(WEKA MBALI NA WATOTO)

Nomax® 150 SC

Suspension Concentrate
INSECTICIDE (KIUADUDU)

Insecticide for the control of Fall Army worm (*Spodoptera frugiperda*) in maize.
(Kiuadudu kinachotumika kudhibiti 'Fall Armyworm' kwenye mahindi)

GUARANTEE (DHAMANA):

GUARANTEE (DHAMANA); Teflubenzuron 75 g/l + Alphacypermethrin 75 g/l

**COMMERCIAL AND AGRICULTURAL CLASS
(KUNDI LA KILIMO NA BIASHARA)**

GROUP (KUNDI)	3A	15	INSECTICIDE (KIUADUDU)
--------------------------	-----------	-----------	-----------------------------------

REGISTRATION NO. (NAMBARI YA USAJILI): PCPB(CR) 2192

Batch No. (Nambari Ya Kifurushi):

Date of Manufacture (Tarehe ya Kutengenezwa):

Date of Expiry (Tumia Kabla):

Shelf life: Two (2) years from the date of manufacture when stored its original unopened container in cool, dry and well-ventilated place.

(Maisha Rafuni: Miaka 2 baada ya tarehe ya kutengenezwa kwenye kifaa chake asili ambacho hakijafunguliwa ikiwekwa pahali pakavu na mbali na joto).

In case of Poisoning call Emergency Toll Free Numbers (Panapotokea madhara, piga nambari ya dharura bila malipo 0800720021 au 0800730030 (24 Hours / inapatikana masaa 24)

REGISTRANT /
MANUFACTURER
(MSAJILI /
MTENGENEZAJI):
BASF SE, GERMANY

AGENT (AJENTI):
BASF EAST AFRICA LIMITED
P.O. BOX 24271-00100
NAIROBI
TELEPHONE: +254 20
407-2000
Email: info.eastafrica@basf.com

Net Content (Kipimo Kamili): **1 L**
WHO Class II: Moderately Hazardous



Protect to Provide

Membership Number:
Nambari ya Uanachama: **AAK/220**



4 041885 327635

81163351_KE_2082

© = Registered trademark of BASF (Alama ya biashara iliyosajiliwa ya BASF)



**HARMFUL
(INADHURU)**



ml
800

700

600

500

400

300

200
ml

Nomax® 150 SC

GENERAL INFORMATION:

Brief description

Nomax® 150 SC is a broad-spectrum Insecticide for the control of Fall Army worm (*Spodoptera frugiperda*) in maize. The active ingredient Teflubenzuron inhibits chitin production during cuticle development in insect juvenile stages. Failure of the cuticle to develop fully causes death during the molting process. Best performance will be obtained in the pest infestation as a preventive treatment or as a curative treatment to young larvae stages.

Alphacypermethrin is a non-systemic insecticide that acts on adults, larvae and has significant ovicidal and repellent effect. It has a very good Knockdown effect and persistence of action. Alphacypermethrin sustains succession of the nerve impulses which leads to over stimulation, exhaustion, and death of the insect. Alphacypermethrin belongs to the pyrethroids chemical Class in the IRAC Group 3A, Teflubenzuron is a chitin synthesis inhibitor belonging to the Benzoylureas chemical class in the IRAC group 15.

Mixing instructions:

Half fill the spray tank with water. Add the required amount of Nomax® 150 SC then fill the water to the required level and mix or agitate thoroughly to uniformity. Spray immediately after mixing.

Direction for use

Crop	Pest	Application, Rate, spray volume /20L	Timing & frequency of application
Maize	Fall armyworm	200 ml/ha Or 20 ml per 20 L of water Use spray volume of 200 L per hectare.	Start the application when you notice the first symptoms of the attack on the leaves (beginning of scraping). Repeat the application when there is reinfestation of the pest at the recommended dose. Apply a maximum of 2 sprays at 14 days interval.

Pre-Harvest-Interval (PHI) : Maize 45 days

Re-Entry Interval (REI): 24 hours, unless wearing protective clothing.

RESISTANCE MANAGEMENT:

"Repetitive/continual use of Nomax® 150 SC can lead to pesticide resistance. It is recommended that Nomax® 150 SC is alternated with pest control products with a different MODE OF ACTION as well as adhere to good farming practices".

HAZARD/SAFETY PRECAUTIONS:

Harmful if swallowed. Do not breathe vapour/spray. Ensure thorough ventilation of stores and work areas Use personal protective clothing. Avoid contact with the skin, eyes, and clothing. Use Suitable chemical resistant safety gloves, Safety glasses, with side-shields, apron, protecting boots, chemical-protection suit. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the work shift

STORAGE:

Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Store in original container tightly closed, in a safe place. Keep away from heat. Protect from direct sunlight. Protect from temperatures below: -5 °C. Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time. Protect from temperatures above: 40 °C. Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

DISPOSAL:

Triple rinse empty container and add washings/rinse off to spray mixture, then perforate or puncture holes on empty containers. **Do not** pour rinsate into any drain or on any site in close proximity to human or animal habitation, water sources, water ways or water bodies. Dispose off in accordance with National Legislation and Regulation on hazardous waste. **Do not reuse empty pesticide containers for any other purpose.**

Accidental release measures: Keep people away from the spill area, use personal protective equipment when cleaning up the spill, **DO NOT** wash away into sewer. **DO NOT** let this chemical enter the environment, Pour the contents of leaking container in empty container that originally held same product or put leaking container into a larger, clearly labelled container. In case of larger spills absorb liquid pesticides by covering the spill with absorbent materials, such as sawdust, clay or kitty litter. **Dispose of in accordance with National Legislation and Regulation on hazardous waste.**

ENVIRONMENTAL HAZARDS:

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Low Exposure to Bee.

FIRST AID MEASURES:

General advice: Avoid contact with the skin, eyes and clothing. Take off immediately all contaminated clothing. Show container, label and/or safety data sheet to physician.

If Inhaled: Keep patient calm, remove to fresh air and seek medical attention.

Skin contact: After contact with skin, wash immediately with plenty of water and soap.

Eye contact: Immediately wash affected eyes for at least 15 minutes under running water, with eyelids open.

Ingestion: Rinse mouth immediately and then drink plenty of water, seek medical attention.

TAKE PATIENT TO DOCTOR IMMEDIATELY.

TOXICOLOGICAL INFORMATION:

Antidotes and remedial measures: No specific antidote. Treat symptomatically.

Symptoms of poisoning: May cause paraesthesia

Ingredients that may affect treatment: May produce an allergic reaction. contains: 1,2-BENZISOTHIAZOL-3(2H)-ONE

Notice to doctor: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

In case of Poisoning call Emergency Toll Free Numbers 0800720021 or 0800730030 (24 Hours).

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

SELLERS GUARANTEE:

Seller's guarantee is limited to the terms set out on the label and subject there, to the buyer who assumes the risks to persons or property arising from the use or handling of this product and accepts the product on that condition.

Nomax® 150 SC

MAELEZO YA JUMLA:

Maelezo mafupi

Nomax® 150 SC ni kiadudu kinachotumika kudhibiti wadudu wa aina ya 'Fall Armyworm' kwenye mahindi. Teflubenzuron huzuia uumbaji wa wadudu hivyo basi kusababisha kifo wakiwa viluwiluwi. Unapotumia Nomax® 150 SC anza kunyunyizia mimea yako mapema kabla ya wadudu kuonekana na hata pia wakati hawajaonekana wakiwa viluwiluwi na wadudu wakubwa. Alphacypermethrin iko katika darasa la kemikali ya Pyrethroid, katika kikundi cha IRAC 'Group 3'. Teflubenzuron iko katika darasa la kemikali ya Benzoylureas katika kikundi cha IRAC group 15.

Maelezo Ya Kuchanganya:

Jaza tanki la kunyunyizia na maji safi hadi nusu. Tingiza dawa vizuri kabla ya kuifungua kisha upime kiasi cha Nomax® 150 SC kinachohitajika na uongeze kwenye tanki la kunyunyizia. Jaza tanki hilo na maji safi na uendelee kuchanganya na kutikisa. Endelea kukoroga vizuri unaponyunyizia.

Jinsi ya kutumia dawa

Mmea	Mdudu	Kipimo cha Matumizi, Kiwango cha Mnyunyizo kwa Lita 20	Wakati na mzunguko wa kunyunyiza dawa.
Mahindi	'Fall armyworm'	Mililita 200/hekta Au mililita 20 kwa lita 20 ya maji Tumia maji lita 200 kwa hekta.	Anza kunyunyiza dawa unapoona dalili za kwanza za shambulio kwenye majani. Rudia matumizi wakati kuna wa wadudu tena kwa kipimo kilichopendekezwa. Tumia dawa mara mbili kwa muda wa siku 14.

Muda salama wa kungoja kabla kuvuna: Mahindi siku 45

Muda wa kungoja kabla kuingia mahali paliponyunziwa dawa: Masaa 24 isipokuwa Kama uko na mavazi ya kujikinga.

KUZUIA UZOEFU WA WADUDU:

"Matumizi ya kurudia / ya kuendelea ya Nomax® 150 SC inaweza kusababisha upinzani wa dawa. Inashauriwa kuwa Nomax® 150 SC inabadilishwa na dawa za kudhibiti wadudu na UTENDAJI KAZI tofauti na kufuata mazoea sahihi ya kilimo".

HATARI/TAHADHARI KWA MTUMIAJI:

Inadhuru ikimezwa. Zuia kuvuta hewa ya dawa. Hakikisha uingizaji hewa kina wa ghala na maeneo ya kazi. Unapotumia dawa linda macho ukitumia miwani iliyopendekezwa, vaa nguo za kujikinga kama vile glavu na ovaroli. Osha mikono na ngozi iliyomwagikiwa kabla ya kula, kunywa, kuvuta sigara ama kwenda kwa haja. Oga mwili na sabuni na maji mengi baada ya kazi na ufue nguo za kujikinga na madhara ya dawa kabla ya kuzitumia tena.

KUHIFADHI:

Hifadhi dawa ndani ya pakiti yake halisi mahali ambapo ni salama, kavu, na hakuna joto nyingi, penye hewa nyingi na ni mbali na chakula na watoto hawawezi kufikia. Weka pahali penye joto isiyochini ya nyuzi -5 au isiyozidi nyuzi 40.

KUTUPA MABAKI:

Osha chombo cha dawa mara tatu na umwage ule mwosho kwenye tanki la kunyunyizia. Haribu chombo cha dawa kwa kutoboa mashimo baada ya kuitumia dawa yote iliyomo. Usimimina mwosho yenye dawa kwenye mfereji yoyote au kwenye mahali yoyote karibu na makao ya wanadamu au wanyama, vyanzo vya maji, njia za maji au miili ya maji. halafu itupe mahali kuambatana na sheria zilizoko kwenye nchi. **USITUMIE CHOMBO TUPU CHA DAWA KWA MATUMIZI INGINE.**

Dawa ikimwagika kwa bahati Mbaya: Weka watu mbali na eneo la kumwagika dawa, tumia vifaa vya kujikinga wakati wa kusafisha umwagikaji. **USIOSHE** ndani ya maji taka. **USIKUBALI** kemikali hii iingie kwenye mazingira, Mimina yaliyomo kwenye kontena linalovuja kwenye kontena tupu ambalo hapo awali lilikuwa na dawa ile ile au weka kontena linalovuja kwenye chombo kikubwa kilichoandikwa wazi. Kukiwa na umwagikaji mkubwa wa dawa nyonya dawa iliyomwagika kwa kufunika na vifaa vya kufyonza, kama vile vumbi ya mbao, udongo au takataka. **Tupa mbali kulingana na Sheria ya Kitaifa na Udhhibiti wa taka hatari.**

HADHARI KWA MAZINGIRA:

Dawa hii ina madhara kwa samaki na viumbe vingine vinavyoishi kwenye maji. Usichafue vidimbwi vya maji kwa dawa hii au mabaki yake. Usimwage dawa kwenye udongo. Usioshe vombo vilivyotumika karibu na mito. Usimwage mabaki kwenye nyumba za wanyama au barabara. Ina madhara mdogo kwenye nyuki.

HUDUMA YA KWANZA:

Mashauri: Epuka dawa kuguzwa ngozi, macho na mavazi. Ondoa nguo zote zilizoshikwa mara moja. Onyesha chombo cha dawa, lebo na / au karatasi ya data ya usalama kwa daktari

Ikiwa imeingizwa: Weka mgonjwa atulie, muke kwenye hewa safi na utafute matibabu.

Kushikwa kwa Ngozi: Baada ya kuguswa na dawa kwa ngozi. Osha kwa maji mengi na sabuni.

Kushikwa kwa Macho: Osha macho yaliyoathiriwa kwa muda wa dakika 15 chini ya maji ya kukimbia na kope la jicho likifunguliwa wazi.

Kumeza: Suuza mdomo mara moja na kisha kunywa maji mengi, tafuta matibabu.

PELEKA MJERUHI KWA DAKTARI MARA MOJA.

MAELEZO KUHUSU SUMU:

Kiuasumu: Hakuna tiba ijulikanayo kwa sasa. Tibu kufuatia dalili za ugonjwa.

Dalili ya kusumika: Inaweza kusababisha 'paraesthesia'

Viungo ambavyo vinaweza kuathiri matibabu: Ina 1,2-BENZISOTHIAZOL-3(2H)-ONE, inaweza sababisha mzio 'Allergic reaction'

Maagizo kwa Daktari: Tibu mgonjwa kulingana na dalili za ugonjwa.

Panapotokea madhara, piga nambari ya dharura bila malipo 0800720021 au 0800730030 (inapatikana masaa 24).

ILANI KWA WATUMIAJI:

Dawa hii sharti itumiwe kulingana na maagizo kwenye kibandiko hiki tu. Ni hatia chini ya Sheria za madawa ya kuangamiza wadudu waharibifu kutumia au kuweka dawa hii mahala pasipo usalama.

THIBITISHO:

Dhamana ya Muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnuuzi lazima akubali hatari zozote zinaweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima aikubali dawa hii katika hali hiyo.



We create chemistry

READ THE LABEL BEFORE USING
(SOMA KIBANDIKO CHA MAELEZO
KABLA YA KUTUMIA)

KEEP LOCKED OUT OF REACH OF
CHILDREN
(WEKA MBALI NA WATOTO)

Nomax® 150 SC

Suspension Concentrate
INSECTICIDE (KIADUDU)

Insecticide for the control of Fall Army worm (*Spodoptera frugiperda*) in maize.
(Kiuadudu kinachotumika kudhibiti 'Fall Armyworm' kwenye mahindi)

GUARANTEE (DHAMANA):

GUARANTEE (DHAMANA); Teflubenzuron 75 g/l + Alphacypermethrin 75 g/l

**COMMERCIAL AND AGRICULTURAL CLASS
(KUNDI LA KILIMO NA BIASHARA)**

GROUP (KUNDI)	3A	15	INSECTICIDE (KIADUDU)
--------------------------	-----------	-----------	----------------------------------

REGISTRATION NO. (NAMBARI YA USAJILI): PCPB(CR) 2192

Batch No. (Nambari Ya Kifurushi):

Date of Manufacture (Tarehe ya Kutengenezwa):

Date of Expiry (Tumia Kabla):

Shelf life: Two (2) years from the date of manufacture when stored its original unopened container in cool, dry and well-ventilated place.

(Maisha Rafuni: Miaka 2 baada ya tarehe ya kutengenezwa kwenye kifaa chake asili ambacho hakijafunguliwa ikiwekwa pahali pakavu na mbali na joto).

In case of Poisoning call Emergency Toll Free Numbers (Panapotokea madhara, piga nambari ya dharura bila malipo 0800720021 au 0800730030 (24 Hours / inapatikana masaa 24)

REGISTRANT /
MANUFACTURER
(MSAJILI /
MTENGENEZAJI):
BASF SE, GERMANY

AGENT (AJENTI):
BASF EAST AFRICA LIMITED
P.O. BOX 24271-00100
NAIROBI
TELEPHONE: +254 20
407-2000
Email: info.eastafrica@basf.com

Net Content (Kipimo Kamili): **1 L**
WHO Class II: Moderately Hazardous



Protect to Provide

Membership Number:
Nambari ya Uanachama: **AAK/220**



4 041885 327635

81163351_KE_2082

© = Registered trademark of BASF (Alama ya biashara iliyosajiliwa ya BASF)



**HARMFUL
(INADHURU)**



ml
800

700

600

500

400

300

200
ml