

# FAST ACTING



**KILLS WEEDS & GRASS *plus* ROOTS**



**MOTO<sup>®</sup> PLUS**

**75 WG**

HERBICIDE

WETTABLE GRANULES

- Selective herbicide
- Pre and early post emergence
- Control of many grass & broad-leaved weeds.

GUARANTEE : Metribuzin 700g/Kg

Available packs | 50g, 100g, 500g, 1kg

Pilot lines: 0711 045000 | 0732 167000

20560 (SMS)

oshochem@oshochem.com

www.oshochem.com



Quality at an affordable price!



CHEMICAL INDUSTRIES LTD.

# FASTACTING



**KILLS WEEDS & GRASS plus ROOTS**

**MOTO PLUS 75 WG**  
HERBICIDE WETTABLE GRANULES

- Selective herbicide
- Pre and early post emergence
- Control of many grass & broad-leaved weeds.

**GUARANTEE: Metribuzin 700g/Kg**

Available packs | 50g, 100g, 500g, 1kg

Pilot lines: 0711 045000 | 0732 167000  
20560 (SMS)  
oshochem@oshochem.com  
www.oshochem.com



**osho**  
CHEMICAL INDUSTRIES LTD.

**MOTO PLUS 75 WG**  
HERBICIDE WETTABLE GRANULES

MOTO PLUS 75WG is a selective herbicide for the control of many grass and broad leaved weeds. When used as recommended it is well tolerated by baby corn, maize, sugarcane and other crops.

**MODE OF ACTION:** Absorbed predominantly by the roots, but also by the leaves with translocation acropetally in the xylem.

*MOTO PLUS 75WG ni kiuu gugu chenye uwezo wa kuchagua. Ikitumiwa kulingana na maelezo, MOTO 75WG hustahimiliwa na baadhi ya mimea kama vile mahindi, 'baby corn', muwa na kadhalika.*



Datura stramonium



Sodom apple



Mexican marigold



Black jack (*Bidens pilosa*)



Stinging nettle

**RECOMMENDATIONS FOR USE:** MOTO 75WG can be both soil and foliar applied for both pre and early post weed emergence control. For pre-weed emergence treatment, adequate soil moisture is required at the time of application. If it does not rain after application, irrigate the soil to enhance herbicide performance. Foliar feeding the crop after germination helps it recover from any herbicide shock.

**MAELEZO JUU YA UTUMIAJI:** MOTO PLUS 75WG yaweza kutumiwa kupita kwa mizizi au matawi kabla ya au mapema baada ya magugu kumea. Kwa matumizi kabla ya magugu kumea mchanga unafaa kuwa na unyevu wa kutosha au matumizi yafuatiliwe na unyunyizaji wa maji. Inapendekezwa mmea ulishwe na mbolea ya matawi baada ya kuota ili kuusaidia iwapo utakuwa umeadhiriwa na dawa

#### APPLICATION RATES:

CROP	WEEDS	RATE & REMARKS
Baby corn & Maize	Grasses & Broad-leaved weeds	30 - 60g/20L: 750g/ha Apply within 2 days after sowing
Tomatoes	Annual grasses & broad-leaved weeds	15g/20L: 750g/ha Apply before transplanting seedlings or 8g/20L: 375g/ha Apply 15 days after transplanting
Potatoes	Annual grasses & broad-leaved weeds	15g/20L: 750g/ha Apply 1 day after planting
Carrots	Annual grasses & broad-leaved weeds	750g/ha: 15g / 20L

Front Side ▼



CHEMICAL INDUSTRIES LTD.



# KILLS WEEDS & GRASS *plus* ROOTS

- Selective herbicide
- Pre and early post emergence
- Control of many grass & broad-leaved weeds.

GUARANTEE : Metribuzin 700g/Kg

Back Side ▼



CHEMICAL INDUSTRIES LTD.

# FAST ACTING

# MOTO<sup>®</sup> PLUS 75 WG


HERBICIDE


WETTABLE GRANULES








## COLOUR GUIDELINES



 R - 25% / G - 5% / B - 122% ( RGB )  
 C - 100% / M - 100% / Y - 0% / K - 0% ( CYMK )  
 PANTONE DS 184 - 1 U




 R - 255% / G - 0% / B - 0% ( RGB )  
 C - 0% / M - 100% / Y - 100% / K - 0% ( CYMK )  
 PANTONE DS 73 - 1 U


 R - 0% / G - 0% / B - 0% ( RGB )  
 C - 0% / M - 0% / Y - 0% / K - 100% ( CYMK )  
 PANTONE DS 325 - 1 U


 R - 255% / G - 251% / B - 0% ( RGB )  
 C - 0% / M - 100% / Y - 100% / K - 0% ( CYMK )  
 PANTONE Proc. Yellow PC


 R - 0% / G - 122% / B - 51%  
 C - 95% / M - 0% / Y - 100% / K - 0% ( CYMK )  
 PANTONE 356 PC


 R - 255% / G - 255% / B - 255% ( RGB )  
 C - 0% / M - 0% / Y - 0% / K - 0% ( CYMK )  
 PANTONE 11-0601TPX





**Actual logo sizes for the cap Back side**




**Actual logo sizes for the cap Front side**



**Actual logo sizes for jacket front side**



**Actual logo sizes for jacket back side**



# Pen

